



Whitehall Compact Surgical Scrub Sink 1, 2, or 3 Station(s)

Includes Models CSS-1, CSS-2, CSS-3

Please visit www.whitehallmfg.com
for most current specifications.



Fixture May Show Some Available Options

Surgical Scrub Sink is designed for use in health care institutions providing surgeons with a convenient sink for pre-op scrub up.

Fixture is fabricated from heavy gage, type 304 stainless steel and is seamless welded construction with a satin finish. The cabinet interior is sound-deadened with a fire-resistant material. The unit is designed to be installed on the wall using a mounting carrier.

Scrub Sink is provided with a front access panel which is easily removed for access to the water control valves, waste connections, stops and strainers. Scrub sink has a sloping bottom surface to minimize splashing and a 1-1/2" OD tailpiece with a 3" flat strainer drain.

Backsplash has a gooseneck assembly with sprayhead that can be removed for sterilization.

Hands Free Operation includes infrared sensor located on back panel.

Thermostatic Mixing Valve Control is located behind the access panel and maintains a constant water temperature. This easily adjustable, anti-scald valve will automatically shut off if the hot or cold water supply fails.

Solenoid Valve is a slow closing, anti-water hammer type.

GUIDE SPECIFICATION

Provide Whitehall Compact Surgical Scrub Sink (specify model number and options). Fixture shall be fabricated from heavy gage, type 304 stainless steel, with seamless welded construction with a satin finish. Cabinet interior shall have a sound deadening, fire-resistant material. Cabinet shall also have removable access panel to allow access to water control valves, waste connections, stops and strainers. Sink shall have a sloping bottom to minimize splashing, and a 3" flat strainer drain. Gooseneck shall have a removable sprayhead. Fixture shall have a thermostatic mixing valve with slow closing, anti-water hammer solenoid valve, infrared sensor and transformer. Transformer must be wired to a GFI protected circuit. Manufacturer shall provide necessary installation instructions.



Whitehall Manufacturing

Scrub Sinks

MODEL NUMBER AND OPTION SELECTIONS

BASE MODEL NUMBER

- -CSS-1 Compact Surgical Scrub Sink (1 Station)
- -CSS-2 Compact Surgical Scrub Sink (2 Stations)
- -CSS-3 Compact Surgical Scrub Sink (3 Stations)


MOUNTING

- -MC Mounting Carrier

Product Options

- -BAT Battery Operated (-SO)
- -LFN Laminar Flow Nozzle
- -MXP Pressure Balancing Mixing Valve
- -SA Splash Panel

Please visit www.whitehallmfg.com for most current specifications.



NOTES:

1. Gooseneck Spout Assembly.
2. Flat Strainer Drain.
3. Removable Access Panel.
4. Infrared Sensor.

All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or suspended data © 2004 Whitehall Manufacturing, A Division of Acorn Engineering Company. Please visit www.whitehallmfg.com for most current specifications.

SELECTION SUMMARY & APPROVAL FOR MANUFACTURING

Model Number & Options _____ Quantity _____
 Company _____ Date _____
 Contact _____ Title _____
 Approval for Manufacturing/Signature _____