



Whitehall Manufacturing®
Manufacturer of Healthcare and Rehabilitation Products since 1946

BestCare®
Patients, Not Prisoners®

**Healthcare and Ligature
Resistant Products**

Division of
Acorn Engineering Company®



A MEMBER OF



Whitehall Ligature Resistant Siphon Jet Toilet

Model WH2142-W-EGE10
(Wall Supply)



WH2142-W-EGE10

Ligature Resistant Siphon Jet Toilet

Ligature Resistant Siphon Jet Toilet is arranged to be installed against a finished wall from the front side with a fixture-to-wall mounting channel. Unit is fabricated from 16 gage, type 304 stainless steel and is seamless welded construction with exterior surfaces powder coated white (interior of toilet will have a satin finish and will not be powder coated). Toilet will be provided with WH-LRSC-GRAY Ligature Resistant ABS Toilet Seat Cover.

Toilet is siphon jet type with an elongated bowl manufactured to comply with ASME A112.19.3 and CSA B45.4 standards. Toilet requires a minimum of 25 PSI flow pressure and uses a minimum water consumption of 1.28 GPF. On-floor units can withstand load rating of 5000 lbs. without permanent damage. Trap has a minimum 3-1/2" seal, will pass a 2-1/8" ball and is fully enclosed. Toilet has a 1-1/2" NPT flushing inlet connection. Wall waste outlet connection is a 5-1/2" gasket flange. Floor waste outlet locations from rear of fixture are 10" or 12" with a 7-1/2" gasket flange.

Flush Valves, Top Supply Covers and Wall Supply Access Panels are optionally available for all styles of Toilets and may be specified separately.

GUIDE SPECIFICATION

Provide and install Whitehall Best-Care™ Ligature Resistant Toilet (specify model number and options). Fixture shall be fabricated from 16 gage, type 304 stainless steel. On-floor units can withstand load rating of 5000 lbs. without permanent damage. Construction shall be seamless welded and exterior surfaces are powder coated white. Housing to include side access panels. Toilet shall be concealed siphon jet type with an elongated bowl and self-draining flushing rim. Toilet shall be ASME A112.19.3 and CSA B45.4 compliant. Toilet requires a minimum of 25 PSI flow pressure and uses a minimum water consumption of 1.28 GPF. Toilet trap shall have a minimum 3-1/2" seal and shall pass a 2-1/8" diameter ball and is fully enclosed. Provided with WH-LRSC-GRAY Ligature Resistant ABS Toilet Seat Cover.

- **Patented US 10,052,000 B2**

Please visit www.whitehallmfg.com
for most current specifications.



Recyclable
Product



Water
Conserving
Product

Complies
with the
following
standards:



Whitehall Mfg. • P.O. Box 3527 • City of Industry, CA 91744 • (800) 782-7706 • (626) 968-6681

WH2142-W

Revised: 09/07/2023



Whitehall Manufacturing®
Manufacturer of Healthcare and Rehabilitation Products since 1946

BestCare®
Patients, Not Prisoners®

**Healthcare and Ligature
Resistant Products**

MODEL NUMBER AND OPTIONS SELECTION:



BASE MODEL NUMBER

- | | |
|---|--|
| <input type="checkbox"/> WH2142W-2-EGE10 | Wall Outlet, Siphon Jet Toilet |
| <input type="checkbox"/> WH2142W-3-EGE10_10 | Floor Outlet, Siphon Jet Toilet (10" rough-in from wall to the center of waste outlet) |
| <input type="checkbox"/> WH2142W-3-EGE10_12 | Floor Outlet, Siphon Jet Toilet (12" rough-in from wall to the center of waste outlet) |


Accessories:

Note: Gray Ligature Resistant Seat Cover is Standard


- | | |
|--|---|
| <input type="checkbox"/> WH-LRSC-WHITE | Ligature Resistant Seat Cover, White (Shipped Loose) |
| <input type="checkbox"/> WH-LRSC-BLACK | Ligature Resistant Seat Cover, Black (Shipped Loose) |
| <input type="checkbox"/> WH-LRSC-BLUE | Ligature Resistant Seat Cover, Dignity Blue (Shipped Loose) |



FLOOR WASTE
MODEL #WH2142-W-3



WALL WASTE
MODEL #WH2142-W-2



MODEL# WH2142-W-3_10 SHOWN

IMPORTANT!
TOILETS ARE SUPPORTED ON THE
FLOOR AND BOLT TO REINFORCED
WALL. FIXTURES ARE NOT INTENDED
FOR USE WITH TOILET CARRIERS.

NOTES:

1. WALL MOUNTING HARDWARE BY OTHERS
2. -3, FLOOR WASTE OUTLET SHOWN)
3. EXTERIOR SURFACES POWDER COATED WHITE
4. ACCESS PANELS (BOTH SIDES)
5. WH2898 FLUSH VALVE ACCESS PANEL w/ HYDRAULIC FLUSH VALVE SHOWN
6. WH-LRSC-GRAY WHITEHALL LIGATURE RESISTANT ABS TOILET SEAT COVER
7. INTERIOR OF TOILET w/ SATIN FINISH (NOT POWDER COATED)

DISCLAIMER:

This product is designed to decrease the probability that it may be utilized as an apparatus for ligature. It is not a replacement for professionals who are trained in the proper evaluation, management and supervision of persons at risk of suicide.

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SELECTION SUMMARY & APPROVAL FOR MANUFACTURING

Model Number & Options	Quantity
Company	Date
Contact	Title
Approval for Manufacturing/Signature	

All dimensions are nominal and subject to manufacturer's change without notice. Whitehall assumes no responsibility for use of void or superseded data © Whitehall Manufacturing, Member of Morris Group International. Please visit www.whitehallmfg.com for most current specifications.

Whitehall Mfg. • P.O. Box 3527 • City of Industry, CA 91744 • (800) 782-7706 • (626) 968-6681

WH2142-W

Revised: 09/07/2023